14

. 10 09/110,984




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

ļД



RADB DATABASE DESIGN




FIG. 6

REFERENCE ADDRESS DATABASE

		.	+	:	ADDRESS KEY	ADDRESS KEY	ADDRESS KEY	ADDRESS KEY	ADDRESS KEY
	NOI S				FREQUENCY COUNTER	FREQUENCY COUNTER	FREQUENCY COUNTER	FREQUENCY	FREQUENCY
	LOCALITY ORGANIZATION POINTER								1
					-	 		1 1	
	THOROUGHFARE DESCRIPTOR POINTER				DATA TYPE #2				
LAST					DATA TYPE #1 CONFIDENCE				
TELENEINUE AUUNESS UNIABASE	THOROUGHFARE			Щ	DATA D TYPE #1 C	DATA D TYPE #1 C	DATA D	DATA D TYPE#1 C	DATA C
ENEINOE AI		<u> </u>	<u>_</u>	DATA STORE	STRING TOKEN	STRING TOKEN	STRING TOKEN	STRING TOKEN	STRING TOKEN
בא	ADDRESS KEY 00001000	ADDRESS KEY 00001001	ADDRESS KEY 00001002	PERATIONAL DATA SI	JNMATCHED STRING #1	UNMATCHED STRING #2	UNMATCHED STRING #3	UNMATCHED STRING #4	UNMATCHED STRING #N

Ç,

F/G. 7